

FIG. 1 Catalytic activity per mg Pd of Pd-M (M = Ti, Zr, Hf, V Nb, Ta, Cr, Mo, W, Au) combinations towards formic acid oxidation (5 M formic acid, 0.1 M H<sub>2</sub>SO<sub>4</sub>, exposed to air) at 0.3 V vs RHE.

BEST AVAILABLE COPY




FIG. 2 - Tafel data for the Pd-V catalyst formulation compared to commercially available PtRu alloy catalyst towards formic acid oxidation (5 M formic acid, 0.1 M  $H_2SO_4$ , exposed to air, per mg Pd basis)




FIG. 3 - Chronoamperometric activity of Pd-V towards formic acid oxidation for 20 hours (5 M formic acid, 0.1 M H<sub>2</sub>SO<sub>4</sub>, exposed to air)




FIG. 4 - Chronoamperometric activity of Pd-V towards methanol oxidation for 20 hours (1 M methanol, 0.1 M H<sub>2</sub>SO<sub>4</sub>, exposed to air)




FIG. 5(A). Chronoamperometric activity of exemplary Pd catalysts at 0.3 V vs RHE (stepping from open cell) in 5 M HCOOH / 0.1 M H<sub>2</sub>SO<sub>4</sub> exposed to air. Current densities are based on total catalyst weight.




FIG. 5(B). Chronoamperometric activity of Pd catalysts at 0.3 V vs RHE (stepping from open cell) in 5 M HCOOH / 0.1 M H<sub>2</sub>SO<sub>4</sub> exposed to air. Current densities are based on Pd weight.




FIG. 5(C) - Chronoamperometric activity of Pd catalysts at 0.3 V vs RHE (stepping from open cell) in 5 M HCOOH / 0.1 M H<sub>2</sub>SO<sub>4</sub> exposed to air. Current densities are based on active catalyst surface area.




FIG. 6 - VI plots using 5 M formic acid and dry air at 30°C. Total currents are normalized by total geometrical active surface area.




FIG. 7 - Constant voltage test using 5M formic acid and dry air at 30°C. Total currents are normalized by total active surface area.




FIG. 8 - Plot of formic acid feed concentration vs. power density at 0.39 V cell potential. The cell temperature was 30°C. Power is normalized by geometrical active surface area.




FIG. 9 - 5M Formic Acid Fuel Cell Performance. "Home 20wt%" is synthesized 20 wt% Pd on C, and "Alfa Aesar 20 wt%" is commercially available.







FIG. 10

FIG 11









FIG 15



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record.**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**